

PALM INTRANET

Day: Saturday Date: 2/21/2004

Time: 08:50:58

Inventor Name Search Result

Your Search was:

Last Name = YOGI First Name = OSAMU

Application#	Patent#	Status	Date Filed	Title	Inventor Name 4
10484450	Not Issued	019		DROPLET FORMATION METHOD OF MIXED LIQUID AND DROPLET FORMATION DEVICE OF MIXED LIQUID	YOGI, OSAMU
10344265	Not Issued	030	02/10/2003	LIQUID-CONTAINING SUBSTANCE ANALYZING DEVICE AND LIQUID- CONTAINING SUBSTANCE ANALYZING METHOD	YOGI, OSAMU
10058121	Not Issued	030	01/29/2002	MINUTE DROPLET FORMING METHOD A MINUTE DROPLET FORMING APPARATUS	YOGI, OSAMU
08496907	5614787	150	06/29/1995	METAL HALIDE LAMP HAVING HEAT DAM PORTION	YOGI, OSAMU

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	Yogi	Osamu	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

L Number	Hits	Search Text	DB	Time stamp
1	2	2949808.URPN.	USPAT	2004/02/21
				05:56
2	12329	b41j003/04.ipc.	USPAT;	2004/02/21
			US-PGPUB;	05:58
			EPO; JPO;	
			DERWENT	
3	256552	electrostatic	USPAT;	2004/02/21
	0 00		US-PGPUB;	05:58
			EPO; JPO;	
			DERWENT	
4	402	b41j003/04.ipc. and electrostatic	USPAT;	2004/02/21
'	•	- 1-3 0, - 1 -1	US-PGPUB;	05:58
			EPO; JPO;	3.00
			DERWENT	
5	61097	239/\$.ccls.	USPAT;	2004/02/21
ا ا	01097	259/ \$.005.	US-PGPUB;	05:58
			EPO; JPO;	05.50
			DERWENT	
6	2	(b41j003/04.ipc. and electrostatic) and 239/\$.ccls.	USPAT;	2004/02/21
ا	2	(041)003/04.1pc. and electrostatic) and 239/\$.ccis.	US-PGPUB;	1
				05:59
			EPO; JPO;	
	1060		DERWENT	
75	1863	return\$3 with (liquid with nozzle)	USPAT;	2004/02/21
			US-PGPUB;	06:05
	~//	(6 1 16 4 6- 11 61 11 11)	EPO; JPO	
76	266	239/\$.ccls. and (return\$3 with (liquid with nozzle))	USPAT;	2004/02/21
			US-PGPUB;	06:05
			EPO; JPO	l , ,
<i>7</i> 7	11	electrostatic and (239/\$.ccls. and (return\$3 with (liquid with	USPAT;	2004/02/21
		nozzle)))	US-PGPUB;	06:23
_		., ,	EPO; JPO	
78	8246	core with nozzle	USPAT;	2004/02/21
			US-PGPUB;	06:24
			EPO; JPO	
79	749	(core with nozzle) and 239/\$.ccls.	USPAT;	2004/02/21
			US-PGPUB;	06:24
			EPO; JPO	
80	28	electrostatic and ((core with nozzle) and 239/\$.ccls.)	USPAT;	2004/02/21
			US-PGPUB;	06:25
			EPO; JPO	
81	296	"core nozzle"	USPAT;	2004/02/21
	-		US-PGPUB;	06:25
			EPO; JPO	
83	381	239/690.ccls.	USPAT;	2004/02/21
	-		US-PGPUB;	06:25
			EPO; JPO	
84	0	("core nozzle" and 239/\$.ccls.) and 239/690.ccls.	USPAT;	2004/02/21
.		37/ 7 37/	US-PGPUB;	06:25
			EPO; JPO	0
85	0	("core nozzle" and 239/\$.ccls.) and electrostatic	USPAT;	2004/02/21
-0	J		US-PGPUB;	06:26
1			EPO; JPO	33.20
82	56	"core nozzle" and 239/\$.ccls.	USPAT;	2004/02/21
-	50	- σοτο πομείο απα 209/ ψισομ.	US-PGPUB;	06:26
1			EPO; JPO	00.20
86	296	"core nozzle" with core	USPAT;	2004/02/23
50	290	COTO HOLLIG WITH COTO		2004/02/21
			US-PGPUB;	06:27
0=		("	EPO; JPO	0001/00/5
87	56	("core nozzle" with core) and 239/\$.ccls.	USPAT;	2004/02/21
			US-PGPUB;	06:27
			EPO; JPO	
88	98199	droplet	USPAT;	2004/02/21
			US-PGPUB;	06:27
			EPO; JPO	

89	3	"core nozzle" with droplet	USPAT;	2004/02/21
			US-PGPUB;	07:12
			EPO; JPO	
90	2	("3060429").PN.	USPAT;	2004/02/21
	1		US-PGPUB;	07:23
			EPO; JPO	
91	0	(""controlunit"").PN.	USPAT;	2004/02/21
	:		US-PGPUB;	07:23
			EPO; JPO	
92	225528	"control unit"	USPAT;	2004/02/21
			US-PGPUB;	07:24
			EPO; JPO	
93	104928	piezoelectric	USPAT;	2004/02/21
			US-PGPUB;	07:24
			EPO; JPO	
94	1315	"pulse power supply"	USPAT;	2004/02/21
	1		US-PGPUB;	07:25
			EPO; JPO	
95	112	"control unit" and "control unit" and "pulse power supply"	USPAT;	2004/02/21
			US-PGPUB;	07:25
			EPO; JPO	
96	О	("control unit" and "control unit" and "pulse power supply")	USPAT;	2004/02/21
		and 239/\$.ccls.	US-PGPUB;	07:25
			EPO; JPO	
97	37143	nozzle and droplet	USPAT;	2004/02/21
			US-PGPUB;	07:25
			EPO; JPO	
98	24025	nozzle same droplet	USPAT;	2004/02/21
		-	US-PGPUB;	07:26
			EPO; JPO	
99	1	(nozzle same droplet) and ("control unit" and "control unit"	USPAT;	2004/02/21
		and "pulse power supply")	US-PGPUB;	07:26
			EPO; JPO	
100	413571	nozzle	USPAT;	2004/02/21
			US-PGPUB;	07:26
			EPO; JPO	
101	13	("control unit" and "control unit" and "pulse power supply")	USPAT;	2004/02/21
		and nozzle	US-PGPUB;	07:49
			EPO; JPO	
102	1	("5560543").PN.	USPAT;	2004/02/21
			US-PGPUB;	08:01
·			EPO; JPO	
103	0	("83and92").PN.	USPAT;	2004/02/21
			US-PGPUB;	08:01
			EPO; JPO] , ,
104	14	239/690.ccls. and "control unit"	USPAT;	2004/02/21
			US-PGPUB;	08:04
			EPO; JPO] , ,
105	225	239/102.1.ccls.	USPAT;	2004/02/21
			US-PGPUB;	08:05
			EPO; JPO	
106	785	239/102.2.ccls.	USPAT;	2004/02/21
			US-PGPUB;	08:05
			EPO; JPO	
107	953	239/102.2.ccls. or 239/102.1.ccls.	USPAT;	2004/02/21
			US-PGPUB;	08:05
_			EPO; JPO	
108	45	"control unit" and (239/102.2.ccls. or 239/102.1.ccls.)	USPAT;	2004/02/21
			US-PGPUB;	08:06
			EPO; JPO	, ,
109	98199	droplet	USPAT;	2004/02/21
			US-PGPUB;	08:06
			EPO; JPO	
110	18	("control unit" and (239/102.2.ccls. or 239/102.1.ccls.)) and	USPAT;	2004/02/21
		droplet	US-PGPUB;	08:10
			EPO; JPO	

111	334	239/3.ccls.	USPAT;	2004/02/21
			US-PGPUB;	08:10
			EPO; JPO	
112	6	239/3.ccls. and "control unit"	USPAT;	2004/02/21
			US-PGPUB;	08:36
			EPO; JPO	
113	767	"saturation vapor pressure"	USPAT;	2004/02/21
			US-PGPUB;	08:37
			EPO; JPO	
114	0	239/3.ccls. and "saturation vapor pressure"	USPAT;	2004/02/21
			US-PGPUB;	08:37
			EPO; JPO	
115	9	"saturation vapor pressure" and 239/\$.ccls.	USPAT;	2004/02/21
			US-PGPUB;	08:37
			EPO; JPO	
116	7	("2096912" "2351819" "2408588" "4537360"	USPAT	2004/02/21
		"4565324" "5141163" "5186620").PN.		08:40
-	1531	"minute droplet"	USPAT;	2004/02/20
			US-PGPUB;	10:59
			EPO; JPO	
-	8118	"electrostatic attraction"	USPAT;	2004/02/18
			US-PGPUB;	15:23
			EPO; JPO	
-	19415	"pulse voltage"	USPAT;	2004/02/20
			US-PGPUB;	11:18
			EPO; JPO	
-	3	"minute droplet" and "electrostatic attraction" and "pulse	USPAT;	2004/02/17
		voltage"	US-PGPUB;	09:20
			EPO; JPO	1
-	149	"setback force"	USPAT;	2004/02/20
	'		US-PGPUB;	10:59
			EPO; JPO	"
-	8118	"electrostatic attraction"	USPAT;	2004/02/18
			US-PGPUB;	15:23
			EPO; JPO	
_	1	"setback force" and "electrostatic attraction"	USPAT;	2004/02/18
			US-PGPUB;	15:23
			EPO; JPO	
-	9107	"electrostatic attraction"	USPAT;	2004/02/18
			US-PGPUB;	15:23
			EPO; JPO;	
			DERWENT	
-	175	"setback force"	USPAT;	2004/02/18
			US-PGPUB;	15:24
			EPO; JPO;	-
			DERWENT	
-	1	"electrostatic attraction" and "setback force"	USPAT;	2004/02/18
			US-PGPUB;	15:24
			EPO; JPO;	
			DERWENT	
-	1535	"minute droplet"	USPAT;	2004/02/20
			US-PGPUB;	10:59
			EPO; JPO	
-	149	"setback force"	USPAT;	2004/02/20
			US-PGPUB;	10:59
			EPO; JPO	
-	1	"minute droplet" and "setback force"	USPAT;	2004/02/20
			US-PGPUB;	11:00
			EPO; JPO	
-	53752	fluid with resist\$4	USPAT;	2004/02/20
			US-PGPUB;	11:00
			EPO; JPO	ļ
-	32	"minute droplet" and (fluid with resist\$4)	USPAT;	2004/02/20
1			US-PGPUB;	11:00
	<u> </u>		EPO; JPO	

-	19428	"pulse voltage"	USPAT;	2004/02/20
			US-PGPUB;	11:01
			EPO; JPO	
-	1	("minute droplet" and (fluid with resist\$4)) and "pulse	USPAT;	2004/02/20
		voltage"	US-PGPUB;	11:01
		l	EPO; JPO	
-	16	"minute droplet" and "pulse voltage"	USPAT;	2004/02/20
			US-PGPUB;	11:01
			EPO; JPO	
-	1123759	substrate	USPAT;	2004/02/20
			US-PGPUB;	11:01
			EPO; JPO	
-	11	("minute droplet" and "pulse voltage") and substrate	USPAT;	2004/02/20
			US-PGPUB;	11:03
1			EPO; JPO	
-	1	(fluid with resist\$4) and (("minute droplet" and "pulse	USPAT;	2004/02/20
-		voltage") and substrate)	US-PGPUB;	11:04
			EPO; JPO	
-	171	coffee.in.	USPAT;	2004/02/20
1			US-PGPUB;	11:04
			EPO; JPO	, ,
-	61097	239/\$.ccls.	USPAT;	2004/02/21
1			US-PGPUB;	05:58
		M 1 1 2 2 4 1	EPO; JPO	
-	36	coffee.in. and 239/\$.ccls.	USPAT;	2004/02/21
1			US-PGPUB;	06:04
			EPO; JPO	, ,
-	0	"pulse voltage" and (coffee.in. and 239/\$.ccls.)	USPAT;	2004/02/20
			US-PGPUB;	11:06
1		1 1	EPO; JPO	
-	1	substrate and (coffee.in. and 239/\$.ccls.)	USPAT;	2004/02/20
1			US-PGPUB;	11:12
			EPO; JPO	
-	52	("2729191" "2945443" "3096762" "3131131" "3232292"	USPAT	2004/02/20
		"3456646" "3837573" "3897905" "3958959"		11:08
		"4043331" "4073002" "4150644" "4186886" "4198781"		
		"4203398" "4266721" "4356528" "4380786" "4439980" "4467961" "4476515" "4508265" "4509694"		
		"4549243" "4565736" "4657793" "4659012"		
		"4671289" "4703891" "4735364" "4748043" "4749125" "4779515" "4801086" "4830872" "4846407"		
	1			
1		4902005	i	
1		"5180288" "5222663" "5267555" "5381789" "5402945" "5409162" "5483953" "5655517" "5712137"		
1		5402945 5409102 5483953 5055517 5712137	[
1_	1015	5930001	USPAT;	2004/02/20
1	1315	Pulse power suppry	US-PGPUB;	11:12
			EPO; JPO	11.12
_	20487	"pulse power supply" or "pulse voltage"	USPAT;	2004/02/20
1	2046/	hame hower subbity or hame sorrage	US-PGPUB;	11:12
			EPO; JPO	11.14
1_	98199	droplet	USPAT;	2004/02/21
	90199	aropiot	US-PGPUB;	08:06
			EPO; JPO	00.00
1_	413571	nozzle	USPAT;	2004/02/20
	4135/1	I TOURIS	US-PGPUB;	11:13
			EPO; JPO	*****
-	562	droplet and nozzle and ("pulse power supply" or "pulse	USPAT;	2004/02/20
	502	voltage")	US-PGPUB;	11:13
		Totale)	EPO; JPO	11.10
-	308	(droplet and nozzle and ("pulse power supply" or "pulse	USPAT;	2004/02/20
	300	voltage")) and substrate	US-PGPUB;	11:16
		Total of the substitute	EPO; JPO	11.10
-	7	239/\$.ccls. and ((droplet and nozzle and ("pulse power	USPAT;	2004/02/20
	'	supply" or "pulse voltage")) and substrate)	US-PGPUB;	11:14
i	1	ouppi, or pulso rotingo ji and subsidatej	EPO; JPO	*****
	1		I PAPE DE ALPES	

-	29	((droplet and nozzle and ("pulse power supply" or "pulse	USPAT;	2004/02/20
		voltage")) and substrate) and (fluid with resist\$4)	US-PGPUB;	11:17
	1		EPO; JPO	
-	1	((droplet and nozzle and ("pulse power supply" or "pulse	USPAT;	2004/02/20
		voltage")) and substrate) and "setback force"	US-PGPUB;	11:17
		_	EPO; JPO	
-	2	"setback force" and (fluid with resist\$4)	USPAT;	2004/02/20
			US-PGPUB;	11:18
			EPO; JPO	
-	О	"setback force" and 239/\$.ccls.	USPAT;	2004/02/20
		•••	US-PGPUB;	11:18
			EPO; JPO	
-	19428	"pulse voltage"	USPAT;	2004/02/20
	'		US-PGPUB;	11:19
			EPO; JPO	
-	27	239/\$.ccls. and "pulse voltage"	USPAT;	2004/02/20
	,	1 0	US-PGPUB;	11:45
			EPO; JPO	'
_	1	DE-2949808-\$.did.	USPAT;	2004/02/20
			US-PGPUB;	11:56
			EPO; JPO;	
			DERWENT	
_	1704	bo5boo5/00.ipc.	USPAT;	2004/02/20
	, .	0 0, 1	US-PGPUB;	11:57
			EPO; JPO;	"
			DERWENT	
-	3	bo5boo5/00.ipc. and "pulse voltage"	USPAT;	2004/02/20
			US-PGPUB;	11:58
			EPO; JPO;	J =
			DERWENT	ĺ
_	2139	b41j002/06.ipc.	USPAT;	2004/02/20
		- 1-31	US-PGPUB;	11:58
			EPO; JPO;	"-
			DERWENT	
-	4	b05b005/00.ipc. and b41j002/06.ipc.	USPAT;	2004/02/21
			US-PGPUB;	05:57
			EPO; JPO;	-5.07
			DERWENT	